BODHIVRUKSHA JOURNAL OF DIVERSE DISCIPLINE
E-ISSN : 3139-1486
An Open Access, Peer-Reviewed, Multidisciplinary Scholarly Journal
Bi-monthly | Multilingual (English, Hindi, Marathi) | Academic Research
@ Volume 2, Issue 5 (September-October 2026) (Special Issue 1) ISSN: 3139-1486 (Online)

Inventive Intelligent System for Heart Valve Disease Detection: A Literature Review

Binivesh Mishra

Department of Artificial Intelligence & Data Science Engineering
Ajeenkya DY Patil School of Engineering, Pune, India

Swarupa Kamble

Guide
Department of Artificial Intelligence & Data Science Engineering
Ajeenkya DY Patil School of Engineering, Pune, India

Abstract

Late diagnosis or identification is the cause for the severe complications in heart valve disease. Though echocardiography reveals valve structure and function quite well, valve anatomy interpretation along with Doppler flow and clinical measurements would need expert opinion. In this paper, we review AI, ML, DL technologies used for valve disease diagnosis from echo and cardiac scans. Discussions have gone on from view recognition and valve segmentation, through the estimation of severity, analysis of Doppler video, and the merging of images with clinicians' reports. Main issues that recur across the studies are limited dataset diversity, performance inconsistency between hospitals and devices, class imbalance, prediction explanations difficult to grasp, narrow disease spectrum covered, and insufficient real-world testing. We propose a multi-stage conceptual model to differentiate between normal valve, stenosis, and regurgitation as well as provide confidence level in addition to an explanation that clinicians may consider.

Keywords : heart valve disease, echocardiography, Doppler analysis, deep learning, explainable AI, medical imaging, literature survey.

I. INTRODUCTION

The function of heart valves is to maintain the normal direction of blood flow and a disease of valves is likely to change the flow and cause severe complications. A commonly made method to diagnose changes in hearts' structures and functions is by heart imaging such as sonograms. These images can assist clinicians in diagnosing, for example, stenosis (valve narrowing) or regurgitation (backward flow of blood through a valve). This diagnosis involves examining not only the valve structure but also measuring Doppler flow and a range of other clinical data. This activity is so skill-based that it requires experience and is prone to observer variations. Hence, AI and DL methods have found great attention to not only make the reading of these echo scans easier for doctors but also enable consistent interpretation and more sensitive screening [1]–[7].

The use of artificial intelligence (AI), machine learning (ML), and deep learning (DL) has been advancing and allowing for the creation of smart systems that can be used as a way to identify heart valve diseases

BODHIVRUKSHA JOURNAL OF DIVERSE DISCIPLINE
E-ISSN : 3139-1486
An Open Access, Peer-Reviewed, Multidisciplinary Scholarly Journal
Bi-monthly | Multilingual (English, Hindi, Marathi) | Academic Research
@ Volume 2, Issue 5 (September-October 2026) (Special Issue 1) ISSN: 3139-1486 (Online)

automatically, thus supporting rapid and accurate clinical screening [1]-[7]. In this article, the state of AI in the field is looked at, the efficiency of each method is discussed, and a number of the most challenging research problems are pointed out, which are diversity of dataset to be handled, the capability to generalize the trained system, the interpretability of results, and proving the reliability in real-world conditions.

II. Problem Statement and Objectives

Heart valve diseases impair cardiac and circulatory functions, and in such a state, if diagnosis is late or missed, life can even be threatened due to the complications of the problems. A common method of assessing this condition is echocardiography which also shows a great number of other things and helps the physicians to see valve narrowing called stenosis and the situation in which blood leaks backward through a valve.

The objectives of this work are:

1) One part is the study of AI, ML, DL methods that can automatically detect heart valve diseases.
2) One part includes review of echocardiographic and cardiac images for detecting common types of heart valve diseases.
3) One part relates to identifying research issues in the areas of dataset diversity, model generalization, interpretability, and detection of multiple diseases at the same time.
4) To look into the critical aspects of explainable AI, external validation, and safe clinical use in the case of automated heart valve disease detection.

III. Relevance to Current Technology Trends

AI is being applied through medical imaging as a means for disease screening and assisting in clinical decision making. Echocardiograms, for example, if automated analysis is available, may assist doctors to review images more consistently and also reduce the burden of manual work involved that is normally the major task of interpretation. When clinicians can easily trace the rationale behind a prediction, it becomes a better one. So explainability of the model should be weighed side by side with its accuracy. Besides, testing on varied datasets, measuring performance in different hospitals, and the use of prudent practices will also be a prerequisite in order for these systems to become established in the daily workflow of the clinics

The fact that explainable AI is trending very well in healthcare is because it enables clinicians to understand and question model predictions. For safe and effective use of intelligent systems in everyday clinical practice, it is very necessary to ensure the model's Robustness, use of diverse datasets, the performance outside the development hospital was validated, and a responsible AI policy was followed.

IV. Literature Survey

A. Overview of Approaches

Current techniques involve both traditional ML models that incorporate clinical measurements or image features extracted via various methods and DL models that directly learn from echocardiographic frames and Doppler videos. CNNs are the common model types being studied in image analysis while video-based models have attracted interest for the diagnosis of multiple images and sequences of images. Automatic

BODHIVRUKSHA JOURNAL OF DIVERSE DISCIPLINE
E-ISSN : 3139-1486
An Open Access, Peer-Reviewed, Multidisciplinary Scholarly Journal
Bi-monthly | Multilingual (English, Hindi, Marathi) | Academic Research
@ Volume 2, Issue 5 (September-October 2026) (Special Issue 1) ISSN: 3139-1486 (Online)

identification of cardiac views, segmentation and detection of valves, severity estimation, and the integration of medical images and clinical data have also become common topics of researchers. Nevertheless, there are still limitations in their practical application such as the lack of sufficient examples with clear labels, differences in scanners and protocols between institutions, disease entities that are not well-represented, and model decisions that are often hard to figure out.

However, the results of a system can be negatively impacted by the scarcity of ground truth data, the dissimilarity between devices used by the different hospitals, the lack of the minority group representation, the absence of clear explanation of a model's decision, and the lack of real-world testing.

B. Review of Existing Work

Zhang et al. [1] designed a three-layered deep-learning framework for the Doppler echocardiographic videos in which a sequence of three things are done: classifying views, detecting diseases, and measuring severity-related indices. The authors tested their system in a real-world clinical environment by collecting the patients who were suspected to have mitral stenosis/regurgitation and aortic stenosis/regurgitation for a while, which makes a valid external validation. Nevertheless, the accuracy of the algorithm is contingent on the quality of the image and the extent of the database, which means that if a hospital decides to use this system they will definitely need to carry out external validation.

Sanjeevi et al.[2] examined machine learning approaches for analysis of transthoracic echocardiograms, categorizing these techniques as view classification, image quality assessment, segmentation, and disease detection, etc., and also emphasized the importance of generalizing and dealing with rare-disease data scarcity. Qayyum [3], Seetharam et al. [4] reviewed AI applications in echocardiography pipelines; they identified use of AI for view classification besides valve segmentation, segmentation measurement, and decision support. Validation, explainability, and incorporation in workflow are the main points they were raising at.

Bamford et al. [5] mentioned opportunities for AI-aided screening, risk analysis and management of heart valve disease in general, highlighting that prospective trials are still the key. Ke et al. [6] discussed topics like valve segmentation, lesion identification, automated severity grading, multimodal risk assessment and also pointed out data harmonization, explainability, and translation as the biggest hurdles. Arslan et al. [7] showed that deep learning for aortic stenosis and mitral regurgitation pooled diagnostic performance of the systematic review and meta-analysis is quite promising, but being a conference abstract, the disease-specific results must be cautiously interpreted.

TABLE I. LITERATURE SURVEY MATRIX

Ref.	Methodology	Key Findings / Limitations
[1] 2022	Deep learning pipeline with a view to analyze the Doppler echo: the view of the video image classification, diagnosis of the disease, and severity-related measurements are covered in three consecutive stages at once.	It checks mitral and aortic stenosis/regurgitation with a real-world test set. It relies on the quality of the video and dataset coverage of the database and it needs a third-party validation from a different hospital.

BODHIVRUKSHA JOURNAL OF DIVERSE DISCIPLINE
E-ISSN : 3139-1486
An Open Access, Peer-Reviewed, Multidisciplinary Scholarly Journal
Bi-monthly | Multilingual (English, Hindi, Marathi) | Academic Research
@ Volume 2, Issue 5 (September-October 2026) (Special Issue 1) ISSN: 3139-1486 (Online)

Ref.	Methodology	Key Findings / Limitations
[2] 2024	An exhaustive review of the use of deep learning in analysis of transthoracic echocardiograms.	Describes view classification, segmentation, quality, function quantification, detection. Issues of generalization and the availability of rare-disease data have been pointed out.
[3] 2024	Survey of echocardiography workflows where AI is applied	Talks about classification of views, segmentation, measurements, decision-support. The area discussed is quite large; the success of methods depends on the task and setting.
[4] 2024	Survey of present as well as future developments of AI in echocardiography	Examines automated and AI-assisted workflows and highlights validation, explainability, and responsible usage of them.
[5] 2024	Cutting-edge overview of AI for diagnosis and treatment of heart valve disease	AI for detection, risk assessment, management. Evidence from reviews; prospective validation needed.
[6] 2026	AI's role in the echo workflow of valvular heart diseases: A comprehensive overview	Involves segmentation, recognition of lesion, severity quantification, and risk stratification of multimodal information. Data homogenization and interpretability are major challenges yet to be solved.
[7] 2026	The paper summarizes findings of different studies on deep learning for echocardiographic valve diagnosis	A combination of the different deep learning algorithms is shown to be the best performing option. A small sample size and high variability is also indicated which is mainly due to the varying disease types.

V. Research Gap

Taken together, the reviewed studies show that it is possible to automate the screening of more than one valve disorder, but at the moment, external validation on large scales is still required [1]. It is important for models to be tested on data from environments other than those used during development, especially as rare conditions and differences between patient groups might be missing [2]. Several reviews highlight the necessity of matching AI tools with workflow and clinicians' needs and ensuring its output and reasoning are easy to understand and reliable [4]. Implementing research findings into daily medical practices at valve-disease clinics is one part that remains undone [5]. On top of all that, data standardization, the ability to interpret the result, and the adoption of the method in a clinical setting are major hurdles still in the way [6].

- The majority of AI research projects are aimed at a valve disease only.
- Deep learning models that are fed with a restricted number of images from one hospital cannot be trusted in a different hospital or with a completely new equipment set-up.

BODHIVRUKSHA JOURNAL OF DIVERSE DISCIPLINE
E-ISSN : 3139-1486
An Open Access, Peer-Reviewed, Multidisciplinary Scholarly Journal
Bi-monthly | Multilingual (English, Hindi, Marathi) | Academic Research
@ Volume 2, Issue 5 (September-October 2026) (Special Issue 1) ISSN: 3139-1486 (Online)

- Factors like picture quality, unbalanced classes, and lack of transparency could hinder the model's performance or clinicians' trust.
- There is a great demand for an integrated system that simultaneously recognizes multiple valve conditions, gives the level of confidence and the clinician a hand instead of replacing them.

VI. Proposed Approach

Based on the challenges highlighted in the academic literature, a multi-stage conceptual pipeline is displayed in Table II. The approach would first rely on ML or DL methods to analyze data obtained from Echocardiograms and other cardiac procedures, then it would give to the user not only the diagnosed problem category but also the machine's certainty level and the rationale of the diagnosis. This combination of information and justification is to support the doctor in making the final decision without the machine overstepping the role of diagnosis.

TABLE II. Stages of the Proposed System

No.	Stage	Description
1	Echo input	Input data would consist of echocardiogram images, Doppler clips, and heart-sound or clinical data, if any, which were recorded.
2	Preprocessing	First step is to assess the quality of images and identify the view, then the system would apply the filters to reduce noise and perform data preprocessing in a way suitable for the model.
3	Valve localization	Next, the system will detect the location of the valve, segment, and highlight important frame(s).
4	Feature extraction	Valve's structure-related characteristics, movement dynamics, and Doppler flow velocity curves, i.e., flow rate, flow volume, flow time, area, velocity, velocity time integral (VTI), flow volume-time product (FlowVTI).
5	Feature fusion	Combining data from images with clinical data.
6	ML / DL classifier	Using a Deep Convolutional Neural Network or Video model for valve disease prediction: normal, stenosis, or regurgitation).
7	Confidence score	Machine learns from the model and then it gives the probability.
8	Explainable AI	The model could pinpoint areas or features in input where the decisions came from.
9	Output / decision	The results include the predicted diagnosis, the model's confidence level, and a flag recommending that a human clinician should have a look at the results.

BODHIVRUKSHA JOURNAL OF DIVERSE DISCIPLINE
E-ISSN : 3139-1486
An Open Access, Peer-Reviewed, Multidisciplinary Scholarly Journal
Bi-monthly | Multilingual (English, Hindi, Marathi) | Academic Research
@ Volume 2, Issue 5 (September-October 2026) (Special Issue 1) ISSN: 3139-1486 (Online)

In the first step of the system, echocardiogram images together with Doppler and any other available heart-sound recordings or clinical data go through quality control. Next, images are grouped by view, noise is cleaned out with the help of advanced methods, and the brightness levels are made uniform across all images. The machine will identify which valve in the heart has been shown in the image and what is its most important part in each image, in time-sequential frames. Then the features describing changes in shape, movement, as well as Doppler flow will be extracted. When suitable, features will be combined with clinical data. Based on a CNN or video-based model prediction, the system will classify the image into one of the planned categories: normal, stenosis, regurgitation. Apart from providing a probability level for each prediction, explainable-a-AI techniques highlight the parts of the image or the features, upon which the system is basing the decision. The cases in the system that the level of confidence is low will be automatically referred for human review by the clinical team.

VII. Conclusion

AI approaches could potentially assist in the detection of heart valve disease and a heart monitoring system that operates automatically was described by indicating what such system should be. The sources consulted include deep-learning analysis of echocardiograms, Doppler-video screening, AI-assisted assessment of valve disorders, and the research-to-practice translatability issues. The points raised repeatedly are limited dataset diversity, performance variability between different hospitals, the absence of clear explanation, narrow spectrum of diseases covered, and inadequate real-world testing. The proposed multifunctional system provides a way of thinking about resolving these issues. To confirm it, they will need to implement the system, test its results carefully over diverse data sets, and ensure it includes proper external validation, uncertainty measurement and professional review.

References

[1] Zhang et al., “Automated analysis of Doppler echocardiographic videos as a screening tool for valvular heart diseases,” JACC: Cardiovascular Imaging, 2022.

[2] G. Sanjeevi, U. Gopalakrishnan, R. K. Parthinarupothi, and T. Madathil, “Deep learning supported echocardiogram analysis: A comprehensive review,” Artif. Intell. Med., vol. 151, Art. no. 102866, 2024.

[3] S. N. Qayyum, “A comprehensive review of applications of artificial intelligence in echocardiography,” Curr. Probl. Cardiol., vol. 49, no. 2, Art. no. 102250, 2024.

[4] K. Seetharam et al., “Broadening perspectives of artificial intelligence in echocardiography,” Cardiol. Ther., vol. 13, pp. 267–279, 2024.

[5] P. Bamford, A. Abdelrahman, C. J. Malkin, M. S. Cunnington, and D. J. Blackman, “Artificial intelligence in heart valve disease: Diagnosis, innovation and treatment. A state-of-the-art review,” Br. J. Cardiol., 2024.

[6] X. Ke et al., “Artificial intelligence in echocardiography for valvular heart disease,” Trends Cardiovasc. Med., 2026.

[7] F. Arslan et al., “Deep learning for echocardiographic imaging of valvular heart diseases: A systematic review and meta-analysis,” J. Am. Coll. Cardiol., vol. 87, no. 13 Suppl., 2026.